

Workbook



rock empire®



Sharing 25 years of unique experiences

2019/2020

**X rock
empire®**

Ready to climb!

ROCK EMPIRE is close to the Elbe River Valley – 80 m sandstone rocks which are the inspiration and testing area for our products.



In 2019, Rock Empire guarantees to all customers: high quality production, extra-ordinary customer service and continual innovation of all Rock Empire products, which are designed and produced, first and foremost, to protect all users during their climbing experiences. While safety is always our number one priority, we never forget the importance of comfort, durability, and low-weight.

We, as a firm, are proud that our harnesses, slings, other textile accessories, cams and stoppers are still made with care here in the Czech Republic and our full range of outdoor and climbing equipment is sold in over 50 countries worldwide. We have grown from 3 employees to over 50, and we are now based in Děčín – close to the Elbe River Valley's sandstone rocks where our products were first used and tested. Today, our goals remain the same: innovation, quality and maximum customer satisfaction.

For sport users of all abilities, we offer well-made climbing and outdoor equipment. Our 1B Slight harness is worn by our ambassador Iva Vejmolová, twice master of the Czech Republic and Russian climber, Julia Kaplina, as she climbed to first place and won the World Cup Speed Competition in climbing in Xiamen, China.

For 2019, we are pleased to introduce new products including Streak Rental and Streak Rental small, which is specially made for climbing in halls. This harness offers an improved method of securing the harness to reduce the possibility of human error. We also present the new harness 4B Slight in a new color black and red. 4B Slight is a harness designed especially for mountains and big walls. Another new product is SB Guard.

A new universal belay device suitable for belaying and rappelling on rocks, multi-pitches, in the mountains and on ice. The belay device has an extended life thanks to the stainless steel bar, which the ropes go over. The belay device works best with ropes from 9 to 11 mm in diameter.

In addition to the new products we designed and manufactured this year, we also focused on the new vision of the company. There were several reasons to change the logo from technical reasons, where the old design was not entirely suitable and flexible for the digital era, to design reasons related to our vision. Our new logo and its "cross" represent the designation of a place, destination, reaching a dimension. It is a symbol for a solid and certain point that can be relied upon...
... AND IT IS Rock Empire.

As we look to the future, creating innovative and safe sport climbing gear remains important to us, but equally valuable has been the range of equipment we have developed for work at heights. This equipment offers a high level of safety and has been well received by industry.

We continue to produce all harnesses and slings with the greatest of care at our factory and work closely with top quality suppliers for additional products that we offer with pride.

Thank you for making our successes possible and we look forward to the future with you helping us create and innovate.

Jiří Chaloupka , Managing Director



Workbook 2019/2020

✦	ROCK EMPIRE CLIMBING TEAM	(6)
✦	HARNESSES	(8)
✦	CARABINERS	(18)
✦	QUICKDRAWS	(22)
✦	SLINGS	(24)
✦	CAMS AND STOPPERS	(28)
✦	BELAY DEVICES	(30)
✦	VIA FERRATA AND SHOES	(32)
✦	CRAMPONS & ICE AXES	(34)
✦	STATIC AND DYNAMIC ROPES	(36)
✦	SLEEPING BAGS	(40)
✦	ROPE BAGS	(42)
✦	ACCESSORIES	(44)
✦	CLIMBING SETS	(46)
✦	PROMOTIONAL ITEMS	(48)
✦	DISTRIBUTORS	(50)



* Iva Vejmolová

MOTTO: NEVER GIVE UP!

Iva is the future of women's climbing. Every year, she has better and better results.

- Five times Czech Republic Youth Cup winner.
- Three times 2nd place in Czech Republic Cup.
- 5th place in European Youth Cup.
- 23rd place in World Championship Gion.
- 8b / b+ Le mur des six clopeszla, France.
- 9 / 9+ OS Osama du saul, Frankenjura.

2017:

- 3 Roads in Difficulty 8c: Nordic Flower, Nordic Plumber, Glutaman
- 2x 1st place Czech Republic Championship
- 5th year in adult representation



* Eliška Adamovská

MOTTO: ONE MINUTE YOU'RE ON THE BOTTOM, THE NEXT MINUTE YOU'RE AT THE TOP

Eliška is a young, talented climber who reaps success in both races and rocks. Climbing means so much for her – if she is somewhere on a "climbing trip", she can't wait for sunrise to be in the rocks as soon as possible. Eliška has great plans and she is aiming for them. She wants to get to the Czech presentation and to defend our colors on European cups, at the European and World Championships.

In her collection of prizes Eliška adds one cup after another... 2017:

- Czech Champion for climbing difficult routes – 3x 1st place
- Czech Champion for climbing difficult routes adults – 3x 1st place
- Czech Champion for bouldering (youth) – 1st place
- Czech Champion for bouldering (adults) – 2nd place
- Czech Champion for bouldering (Ostrava) – 1st place



* Tanager

MOTTO: IF I CAN DO IT, YOU DEFINITELY CAN!

Tanager takes after her namesake (a North American bird) and migrates to spend as much time on the rocks as possible. She finds sheer joy in movement over rock, so after finishing her Master's degree she decided to dedicate her time to this pursuit. Her perfect day involves exploring new terrain with motivated friends, vast views, speaking four languages in one conversation, and stabbing pieces of string into cracks with a sword.

Last year, she climbed in: Geyikbayiri, Turkey; The Fins, ID; Wild Iris, WY; Ten Sleep, WY, Rifle, CO; Smith Rocks, OR; Maple Canyon, UT; The Red River Gorge, KY; Rock Town, GA; Olympos, Turkey; Frankenjura, Germany; Elbsandsteingebirge, Germany; and Labak, Czech Republic.



* Honza Štípek

MOTTO: EVERYTHING HAPPENS FOR A REASON.

Honza, the youngest member of the ROCK EMPIRE Climbing Team, is a very talented climber, who has dedicated the last three years to climbing. His love of climbing started when he went with his dad to a climbing wall. From then on, he has been climbing three to five times a week.

Climbing successes (2017):

- 1st place at the Czech Republic Championship in climbing to difficulty
- 1st place at the unofficial U10 Petzen Austria Championship
- 2nd place at the prestigious Rock Master junior Arco Italy Trophy race
- 1st place at the Slovak Republic Championship in climbing on the difficulty of Košice
- 1st place in the Rock Point bouldering cup
- 1st place in the Czech Cup for difficulty
- 1st place at the Czech Republic Championship in climbing for speed Brno



* Martin Tomášek

MOTTO: A PERSON SHOULD DO WHAT HE LIKES AND DO IT TO THE FULLEST!

He has climbed over 200 routes with a difficulty of more than 8a.

- List of successful routes include:
- Mind control 8c+ pp
- Odd Fellows 11- PP
- Father and Son 11- PP
- Warbeast 8c PP
- Mangusta 8c PP
- Fis Eye 8c PP
- T1-Full Equip 8c PP
- New Orleans Heavy Weight Division 11- PP
- Cringer 11- PP



* Radek Lienarth

MOTTO: LIVE AND LET LIVE + A DAY WITHOUT ADVENTURES IS A DAY WITHOUT ME.

Every year approx. 130 days and hundreds of hours guiding in the Alps. Mountain guide, climber, skialpinist, husband to a beautiful wife and father to three children, basically a normal individual who enjoys life just as it is.



* Adam Adamovský

MOTTO: I DO WHAT I ENJOY.

Adam Adamovský is a new member of the RE climbing team. Adam has been climbing since he was six years old, and he is a true climbing talent. He lives in Havířov, he trains in Ostrava and Zlín and, besides climbing, he also runs, walks in the mountains, rides on bicycles, snowboards, skates, does gymnastics and plays saxophone.

Climbing successes:

- Czech Youth Cup U14 (2014–2016) – Overall rating, 3× 1st place
- Slovakia's Bouldering Championship for Children 2016 – 1st place
- Poland's Bouldering Championship 2014 – 1st place
- Petzen Climbing Trophy 2014 – bouldering – 2nd place
- Color Climbing Festival Imst 2017 – 4th place



* Honza Zíma

MOTTO: CLIMB NOW, WORK LATER!

Honza is not only a ROCK EMPIRE Climbing Team member, but also a member of ROCK EMPIRE's design and development team. He has been climbing since he was six and likes to climb everything from the floor to the ceiling, from boulders to long, endurance routes, and he enjoys changes and discovering new climbing areas. Occasionally, he races on ropes or on boulders. "I consider myself more of a rock climber," he says. Except perhaps in 2015 and 2016, when he was nominated to represent Czech Republic in lead climbing at international competitions.

HARNESSES

* 1B SLIGHT VUS012



1B SLIGHT is designed for pure sport climbing. Thanks to its low weight and fixed leg loops, it offers maximum comfort and incomparable freedom of movement. You will not even notice that you are wearing this harness.

One quick AL buckle on the waist helps quickly and safely adjust it to your size. It has four gear loops and removable back elastic straps. Maximum distribution of fall load throughout the harness.


Colours Lime-Aqua / Black-Aqua
Size XS, S, M, L, XL




- 1 Quick aluminium (AL 7075) buckle – 16 mm.
- Innovative ergonomic waist and legs straps.
- 4 Asymmetric gear loops (5 kg).
- Light weight belay loop in a contrasting colour (width 12 mm, 15 kN).

ROCKSERIES

Rock	████████████████████
Big Wall	██████████████████
Mountain	██████████████████
Indoor	██████████████████
Via Ferrata	██████████████████
Ski Tours	██████████████████
Canyon	██████████████████
Work	██████████████████



MAXIMUM DISTRIBUTION OF FALL LOAD THROUGHOUT THE HARNESS



* 3B SLIGHT MAN VUS013



3B SLIGHT MAN is a premium, super comfortable 3-buckle harness. Quick buckles on the legs and waist belt help quickly and accurately adjust the size. This harness will definitely exceed your demanding requirements on the rocks as well as in the mountains. And it is so light that you won't even notice that you are wearing it. Maximum distribution of fall load throughout the harness.

Colours Navy-Aqua / Black-Lime
Size XS, S, M, L, X



- 3 Quick aluminium (AL 7075) buckles – 12 mm legs, 16 mm waist.
- Innovative ergonomic waist and legs.
- 4 Asymmetric gear loops (5 kg).
- Light weight belay loop in a contrasting colour (width 12 mm, 15 kN).

ROCKSERIES

Rock	████████████████████
Big Wall	██████████████████
Mountain	██████████████████
Indoor	██████████████████
Via Ferrata	██████████████████
Ski Tours	██████████████████
Canyon	██████████████████
Work	██████████████████

*** 4B SLIGHT** VUS015



4B SLIGHT is a 4-buckle harness designed especially for mountains and big walls. Light-weight quick AL buckles on the legs and 2 on the waist make the harness fully adjustable and easy to manipulate. Slot for Helper (ZSD001) on waist belt. Maximum distribution of fall load throughout the harness.

Colours Black-Red, Anthracite-Red
Size XS-M, M-XL



- 4 Aluminium (AL 7075) quick buckles – 12 mm legs, 16 mm waist.
- Innovative ergonomic waist and legs.
- 4 Asymmetric gear loops (5 kg).
- Light weight belay loop in a contrasting colour (width 12 mm, 15 kN).

ROCKSERIES

Rock	██████████
Big Wall	██████████
Mountain	██████████
Indoor	██████████
Via Ferrata	██████████
Ski Tours	██████████
Canyon	██████████
Work	██████████



*** 3B SLIGHT WOMAN** VUS014



3B SLIGHT WOMAN is an extremely comfortable 3-buckle harness designed specifically for women. The ratio between the waist and legs is adjusted to fit measurements of women. Maximum distribution of fall load throughout the harness.

Colours Purple-Red / Aqua
Size XS, S, M, L



- 3 Quick aluminium (AL 7075) buckles – 12 mm legs, 16 mm waist.
- Innovative ergonomic waist and legs.
- 4 Asymmetric gear loops (5 kg).
- Light weight belay loop in a contrasting colour (width 12 mm, 15 kN).

ROCKSERIES

Rock	██████████
Big Wall	██████████
Mountain	██████████
Indoor	██████████
Via Ferrata	██████████
Ski Tours	██████████
Canyon	██████████
Work	██████████



* 3B AKATTA CUA004



3B Akatta is a fully-adjustable and comfortable sport climbing harness and will definitely exceed your demanding requirements on the rocks as well as in the mountains. 3B Akatta has lightweight padded construction. Breathable padding includes small holes in the foam padding on the waist and legs. Distribution of the force is transmitted around the waist with 4 straps, around the legs with 3 straps. This harness offers maximum comfort and freedom of movement. Optimal distribution of fall load throughout the harness.


Colours Black-Aqua
Size XS, S, M, L, XL




- 3 aluminum QB buckles.
- 4 gear loops (max. 5 kg).
- Haul loop (max. 50 kg).
- 2 slots for carrying tools.
- Durable belay loop.
- Breathable padding.

ROCK SERIES

Rock	████████████████████
Big Wall	██████████████████
Mountain	██████████████████
Indoor	██████████████████
Via Ferrata	██████████████
Ski Tours	██████████████
Canyon	██████████████
Work	██████████████



OPTIMAL DISTRIBUTION OF FALL LOAD THROUGHOUT THE HARNESS



BREATHABLE PADDING



* 4B AKATTA CUA005



4B Akatta is a 4-buckle harness designed especially for sport climbing, multi-pitch and mountaineering. 4B Akatta is a fully-adjustable and comfortable sport climbing harness. 4B Akatta has lightweight padded construction. Breathable padding includes small holes in the foam padding on the waist and legs. Distribution of the force is transmitted around the waist with 4 straps, around the legs with 3 straps. This harness offers maximum comfort and freedom of movement. Optimal distribution of fall load throughout the harness.

Colours Black-Orange
Size XS-M, M-XL



- 4 aluminum QB buckles.
- 4 gear loops (max. 5 kg).
- Haul loop (50 kg).
- 2 slots for carrying tools.
- Durable belay loop.
- Breathable padding.

BIG WALL SERIES

Rock	████████████████████
Big Wall	██████████████████
Mountain	██████████████████
Indoor	██████████████████
Via Ferrata	██████████████
Ski Tours	██████████████
Canyon	██████████████
Work	██████████████

* STREAK RENTAL CUS019



Streak Rental is a robust and durable harness for use on indoor climbing walls and as a rental. Design is based on popular Streak harness including the fully adjustable and moveable strap on the waist. Compared to the Streak, it has a better, stronger solution for the belay loop and lower tie in loop, which greatly reduces the risk of tying in improperly. If the gear loop is accidentally used as the belay loop and a fall occurs, it will not rip – keeping the climber from falling to the ground. Streak Rental comes in two sizes. XS-M with Red belay loop and S-XL with Blue belay loop. Sliding strap on the waist.

Colours White-Red, White-Blue
Size XS-M, S-XL



- Reinforced gear loop.
- Clear durable pictograms on the outside of the waistbelt – illustrated methodical pictures how to attach and secure.
- Waist belt includes a small window where bar and QR codes are visible and scannable to speed up tracking and inspections during rental use.
- Durable belay loop.

INDOOR & SPECIAL SERIES

Rock	██████████
Big Wall	██████████
Mountain	██████████
Indoor	██████████
Via Ferrata	██████████
Ski Tours	██████████
Canyon	██████████
Work	██████████



STREAK RENTAL SMALL



* STREAK LADY RED CUS017



Streak Lady Red and Purple are women's sport climbing harnesses. The ratio between the waist and legs is adjusted to fit measurements of women on this fully adjustable and comfortable harness. The sliding strap on the waist allows ideal placement of the gear loops according to the user's requirements

Colours Red
Size XS-M




- 3 Quick buckles.
- Ergonomic waist and legs.
- Adjustable leg loops.
- 4 Gear loops for the material (5 kg).
- Light weight belay loop in a contrasting colour (width 12 mm, 15 kN).

ROCK SERIES

Rock	██████████
Big Wall	██████████
Mountain	██████████
Indoor	██████████
Via Ferrata	██████████
Ski Tours	██████████
Canyon	██████████
Work	██████████

THE SLIDING STRAP ON THE WAIST ALLOWS IDEAL PLACEMENT OF THE GEAR LOOPS ACCORDING TO THE USER'S REQUIREMENTS



* STREAK CUS011



Streak is a fully-adjustable and comfortable sport climbing harness. Conically-shaped legs fit every leg type and offer a high level of comfort. One quick buckle on the waist belt helps to quickly and safely adjust the harness. Brighter colours and new materials give this popular harness a facelift. The sliding strap on the waist allows ideal placement of the gear loops according to the user's requirements

Colours Blue
Size S-XL, XXL



- 3 Quick buckles.
- Ergonomic waist and legs.
- Adjustable leg loops.
- 4 Gear loops.
- Light weight belay loop in a contrasting colour (width 12 mm, 15 kN).



ROCK SERIES

Rock	██████████
Big Wall	██████████
Mountain	██████████
Indoor	██████████
Via Ferrata	██████████
Ski Tours	██████████
Canyon	██████████
Work	██████████



* EQUIP BELT CUE001



A universal and light harness used for work, rescue and it is ideal for big wall climbing also. In fact, it is a synthesis of a sport and work harness. It may be used by itself or in combination with the chest harness, CHEST EQUIP (CUE003), as a full-body fall arrest harness.

Colours Black-Orange
Size XS-M, M-XXL



- All attachment points are textile.
- Adjustable leg loops.
- 6 Gear loops (5 kg).
- 2 Positioning loop (15 kN).
- Contains reflective material for better visibility under difficult conditions.
- Strong elastic (accordion-style) strap connecting the legs to the waist belt on the back of the harness, which automatically adjusts and ensures optimum positioning of the legs in relation to the waist at all times (especially climbing vs. sitting).

BIG WALL SERIES

Rock	████████████████████
Big Wall	████████████████████
Mountain	████████████████████
Indoor	████████████████████
Via Ferrata	████████████████████
Ski Tours	████████████████████
Canyon	████████████████████
Work	████████████████████
Adventure Park	████████████████████



* EQUIP SVE001



A fully-outfitted, comfortable work harness designed to be versatile and yet offer a low weight. This harness is also suitable for rescuers and rope parks. In fact, it is a synthesis of a sport and work harness. The sit harness can be bought and used separately. It is ideal for big wall climbing.

Colours Black-Orange
Size XS-M, M-XXL



- All attachment points are textile.
- Contains reflective material for better visibility under difficult conditions.
- 6 gear loops, belay loop, and shoulders are equipped with slots for small items or tools.
- The back attachment point is hidden in a covered pocket and can be removed only when needed.
- Strong elastic (accordion-style) strap connecting the legs to the waist belt on the back of the harness, which automatically adjusts and ensures optimum positioning of the legs in relation to the waist at all times (especially climbing vs. sitting).

INDOOR & SPECIAL SERIES

Rock	████████████████████
Big Wall	████████████████████
Mountain	████████████████████
Indoor	████████████████████
Via Ferrata	████████████████████
Ski Tours	████████████████████
Canyon	████████████████████
Work	████████████████████
Adventure Park	████████████████████



* **RONDA** CUR001



Redesigned full body sport climbing harness suitable for Via Ferrata routes and for starting and intermediate climbers. New colours, new buckles, safer method of securing the harness. This re-designed harness also may be used in work situations. It meets PPE norm, EN 361, to protect against falls from a height.

Colours Lemon-Aqua
Size S-L (145–175cm) / L-XL (160–210cm)



- 2 Gear loops (5 kg).
- 2 QB buckles on leg loops.

INDOOR & SPECIAL SERIES

Rock	█
Big Wall	█
Mountain	█
Indoor	█
Via Ferrata	█
Ski Tours	█
Canyon	█
Work	█



* **WILD RIDE LANYARD** CLR006



Lanyard designed to serve as a simple pulley in adventure parks and on rope courses. Larger loop allows space for attaching the lanyard with a fox loop knot to the tie in point (black colour) on the Korowai harness (sold separately).

Strength 22 kN
Length 60 cm
Rope Diameter 11 mm
Colour Black
Norms EN 354, EN 795.B



* **LANYARD A** CLY110



Y-shaped lanyard designed for self-securing in adventure parks. Two larger eyes and reinforced sling for attachment to the front tie-in point on ROCK EMPIRE Korowai harness (sold separately).

Strength 22 kN
Length 110 / 110 cm
Rope Diameter 11 mm
Colour Red
Norms EN 354, EN 795.B



* **SKILL LITE ADVENTURE** VUL002



The full body harness, Skill Lite Adventure is suitable for adventure parks, rope courses and working at heights. Fully adjustable webbing harness to arrest falls. Lightweight buckles allow easy size adjustment. Equipped with two attachment points that meet EU standards (EN 361). Two gear loops. Comes in two sizes.

Colours Black-Orange
Size XS-L (130–170 cm), L-XL (160–210 cm)



- Two attachment points for fall arrest, in front and back of the harness ring is made of alloy and tested at 15 kN (EN 361).
- Lightweight buckles allow for quick and easy setup.
- Two gear loops.

INDOOR & SPECIAL SERIES

Rock	█
Big Wall	█
Mountain	█
Indoor	█
Via Ferrata	█
Ski Tours	█
Canyon	█
Work	█

HARNESSES

* SUPERLIGHT VUS010



A super light-weight, safe and simple harness specially made for ski touring and use on glaciers. Leg straps have buckles for easy on and off while wearing crampons or skis. One of the lightest harnesses in the world – only 146g!

Colours Red
Size XS-M, M-XL
Material Dyneema



- Only 146 g
- 1 Gear loop
- Fully adjustable

MOUNTAIN SERIES

Rock	██████████
Big Wall	██████████
Mountain	██████████
Indoor	██████████
Via Ferrata	██████████
Ski Tours	██████████
Canyon	██████████
Work	██████████



* LIGHTNING VUL003



Re-designed, lighter-weight, all around harness with a unique quick, positioning system – good for use while wearing skis.

Colours Lemon
Size XS, S, M, L, XL



- 4 Gear loops (5 kg)
- Whistle included
- Fully adjustable

MOUNTAIN SERIES

Rock	██████████
Big Wall	██████████
Mountain	██████████
Indoor	██████████
Via Ferrata	██████████
Ski Tours	██████████
Canyon	██████████
Work	██████████



* CANYON+ CUC001



Canyon+ is an extra comfortable harness for more demanding canyonists. On the waist belt, it has a breathable, non-absorbent padding. The plastic sit protection part is made from a durable material with the possibility of replacing it in the case of damage (ZSC005 Sit protection+).

Colours Dark blue
Size One size



- Metal ring serves as tie-in point, which is more resistant to intensive use
- Webbing under the metal ring and tie-in point is covered by durable plastic
- 2 gear loops (5 kg)
- 4 aluminium quick buckles

INDOOR & SPECIAL SERIES

Rock	██████████
Big Wall	██████████
Mountain	██████████
Indoor	██████████
Via Ferrata	██████████
Ski Tours	██████████
Canyon	██████████
Work	██████████



* CANYON SVG001



Canyon is a non-padded harness suitable for canyoning. It is a combination of ROCK EMPIRE's Gym harness and Sit Protection. The Sit Protection can be removed, and the harness can be used for climbing by itself. The Sit Protection (ZSC003) can be ordered separately if desired.

Colours Black-Yellow
Size One size



- 1 Gear loop (5 kg)
- Adjustable leg loops
- AL buckles

INDOOR & SPECIAL SERIES

Rock	██████████
Big Wall	██████████
Mountain	██████████
Indoor	██████████
Via Ferrata	██████████
Ski Tours	██████████
Canyon	██████████
Work	██████████



*** SPEEDY** VUG005



Non padded harness suitable for Via Ferrata and indoor climbing now with new buckles. The new buckles offer better ease of manipulation, which makes the harness even safer during those fun times at heights.

Colours Lemon-Aqua
Size One size



INDOOR & SPECIAL SERIES

Rock	██████████
Big Wall	██████████
Mountain	██████████
Indoor	██████████
Via Ferrata	██████████
Ski Tours	██████████
Canyon	██████████
Work	██████████



NEW BUCKLE

*** EIGHT VARIO** VUV003



Chest harness to be used in combination with a sit harness. Coloured tie-in points. Updated with brighter colours. Colour coordinated with Speedy harness.

Colours Aqua-Grey
Size One size



INDOOR & SPECIAL SERIES

Rock	██████████
Big Wall	██████████
Mountain	██████████
Indoor	██████████
Via Ferrata	██████████
Ski Tours	██████████
Canyon	██████████
Work	██████████

- Adjustable shoulders



*** SPELEO** VUS009



Non-padded harness for speleological activities. It is equipped with a webbing protection against abrasion. The carabiner is not a part of the product.

Colours Black-Yellow
Size One size



- 3 Gear loop (5 kg)
- 4 QB buckles 20mm

INDOOR & SPECIAL SERIES

Rock	██████████
Big Wall	██████████
Mountain	██████████
Indoor	██████████
Via Ferrata	██████████
Ski Tours	██████████
Canyon	██████████
Speleology	██████████
Work	██████████



HARNESSES

* HOPI CUH002



HOPI is a fully adjustable sport climbing harness for our smallest climbers. Conically shaped leg belts fit smaller legs and offer high levels of comfort. One quick buckle on the waist belt helps for quick and safe size adjustments. Sliding strap on the waist.

Colour Blue
 Size XXS-XS, XS-S
 Waist XXS-XS 44–66 cm / XS-S 54–70 cm
 Legs XXS-XS 37–49 cm / XS-S 38–45 cm



- 3 Quick buckles
- Light weight belay loop in a contrasting colour
- Quality foam with high dimensional stability
- Innovative ergonomic waist and legs
- XXS-XS – 2 gear loops (5 kg) / XS-S – 4 gear loops (5 kg)

ROCK SERIES

Rock	██████████
Big Wall	██████████
Mountain	██████████
Indoor	██████████
Via Ferrata	██████████
Ski Tours	██████████
Canyon	██████████
Work	██████████



* ZUNI CUZ001



A full body harness for children with height up to 130 cm and max. weight 40 kg. Wide straps and extra leg padding offering increased comfort and easy positioning.

Colour Black-Aqua-Lemon
 Size One size



- 1 Gear loop (5 kg)
- Fully adjustable

ROCK SERIES

Rock	██████████
Big Wall	██████████
Mountain	██████████
Indoor	██████████
Via Ferrata	██████████
Ski Tours	██████████
Canyon	██████████
Work	██████████

HARNESSES	Code	Weight (g)	Size	WAIST BELT size (cm)	LEG LOOPS size (cm)	Colours	Norms
1B SLIGHT	VUS012	259 (M)	XS	67–74	46–51	Black-Aqua Lime-Aqua	CE EN 12277
			S	70–77	50–55		
			M	76–83	53–58		
			L	80–87	55–61		
3B SLIGHT MAN	VUS013	308 (M)	XS	67–74	46–55	Black-Lime Navy-Aqua	CE EN 12277
			S	70–77	50–58		
			M	76–83	54–62		
			L	80–87	56–68		
3B SLIGHT WOMAN	VUS014	296 (M)	XS	58–65	46–55	Aqua Purple-Red	CE EN 12277
			S	63–70	50–58		
			M	70–76	54–62		
			L	75–82	56–65		
4B SLIGHT	VUS015	334	XS-M	67–85	46–60	Anthracite-Red Black-Red	CE EN 12277
			M-XL	80–100	56–69		
3B AKATTA	CUA004	340 (M)	XS	67–74	46–55	Black-Aqua	CE EN 12277
			S	70–77	50–58		
			M	76–83	54–62		
			L	80–87	56–68		
4B AKATTA	CUA005	380 (XS-M)	XS-M	67–85	46–60	Blue-Orange	CE EN 12277
			M-XL	80–100	56–69		
STREAK RENTAL	CUS019	380 (S-XL)	XS-M S-XL	67–85 75–100	46–60 53–69	White-Red White-Blue	CE EN 12277
STREAK LADY RED	CUS017	412	XS-M	65–80	45–60	Red	CE EN 12277
STREAK	CUS011	456	S-XL	75–100	53–66	Blue	CE EN 12277
		486	XXL	75–115	56–69		



*** CANICROSS** CUC006



An ultra-light, ergonomic harness for canicross, dog trekking and leisurely runs with a dog. Updated colours and reflective stripe. One size, available in blue and red.

Colour Size Blue / Red / Black One size

168 g



CANICROSS SERIES

- Rock
- Big Wall
- Mountain
- Indoor
- Via Ferrata
- Ski Tours
- Canyon
- Work
- Canicross

HARNESS	Code	Weight (g)	Size	WAIST BELT size (cm)	LEG LOOPS size (cm)	Colours	Norms
EQUIP BELT	CUE001	750 (XS-M)	XS-M M-XXL	70-105 80-125	48-68 52-75	Black-Orange	CE EN 358, EN 813, EN 12277
EQUIP	SVE001	1040 (XS-M)	XS-M M-XXL	70-105 80-125	48-68 52-75	Black-Orange	CE EN 316, EN 358, EN 813, EN 12277
RONDA	CUR001	700	S-L L-XL	Height Measurements S-L 145-175 / L-XL 160-210		Lemon-Aqua	CE EN 12277, EN 361
SKILL LITE ADVENTURE	VUL002	924	XS-L L-XL	Height Measurements XS-L 130-170 / L-XL 160-210		Black-Orange	CE EN 12277, EN 361
SUPERLIGHT	VUS010	146 (XS-M)	XS-M L-XL	57-85 85-100	43-62 62-71	Red	CE EN 12277
LIGHTNING	VUL003	374 (M)	XS S M L XL	57-70 63-76 72-85 80-93 87-100	43-53 47-57 52-62 57-67 61-71	Lemon	CE EN 12277
SPEEDY	VUG005	370	One Size	57-100	43-71	Lemon-Aqua	CE EN 12277
EIGHT VARIO	VUV003	210	One Size	60-140	—	Aqua-Grey	CE EN 12277
CANYON+	CUC001	870	One Size	One Size	One Size	Dark Blue	CE EN 12277
CANYON	SUG001	572	One Size	One Size	One Size	Black-Yellow	CE EN 12277
SPELEO	VUS009	796	One Size	One Size	One Size	Black-Yellow	CE EN 12277
HOPI	VUH002	268 (XXS-XS)	XXS-XS XS-S	44-66 54-70	37-49 38-45	Blue	CE EN 12277
ZUNI	VUZ001	378	One Size	One Size	One Size	Black-Aqua-Lemon	CE EN 12277
CANICROSS	VUC004	168	One Size	One Size	One Size	Green	—
	VUC006	168	One Size	One Size	One Size	Blue / Red	—
	VUC???	168	One Size	One Size	One Size	Black	—



* Racer S

ZRC047

Weight: 53 g
 Material: Aluminium

 24 kN
 9 kN
 8 kN
 17 mm
 Norms: CE EN 362, EN 12275



* HMS Smart S

ZRC050

Weight: 68 g
 Material: Aluminium

 24 kN
 8 kN
 6 kN
 21 mm
 Norms: CE EN 362, EN 12275



* HMS Magnum S

ZRC031

Weight: 90 g
 Material: Aluminium

 28 kN
 10 kN
 8 kN
 24 mm
 Norms: CE EN 362, EN 12275



* Racer Straight

ZRC045

Weight: 47 g
 Material: Aluminium

 24 kN
 9 kN
 8 kN
 20 mm
 Norms: CE EN 12275



* HMS Smart 2T

ZRC051

Weight: 76 g
 Material: Aluminium

 24 kN
 8 kN
 6 kN
 21 mm
 Norms: CE EN 362, EN 12275



* HMS Magnum 2T

ZRC032

Weight: 96 g
 Material: Aluminium

 28 kN
 10 kN
 8 kN
 24 mm
 Norms: CE EN 362, EN 12275



* Racer Bent

ZRC046

Weight: 48 g
 Material: Aluminium

 24 kN
 9 kN
 8 kN
 22 mm
 Norms: CE EN 12275



* HMS Smart 3T

ZRC052

Weight: 77 g
 Material: Aluminium

 24 kN
 8 kN
 6 kN
 21 mm
 Norms: CE EN 362, EN 12275



* HMS Magnum 3T

ZRC033

Weight: 96 g
 Material: Aluminium

 28 kN
 10 kN
 8 kN
 24 mm
 Norms: CE EN 362, EN 12275



12 PURPLE 04 AQUA 06 LIME 13 GREY

Aluminium

*** Swift**

ZRC041

Weight: 36g
 Material: Aluminium

 Norms: CE EN 12275



K-LOCK system Steel

*** HMS Magnum Steel S**

ZRC042

Weight: 246g
 Material: Steel

 Norms: CE EN 362, EN 12275



K-LOCK system Aluminium

*** Carabiner AL O KL-S**

ZRC024

Weight: 78g
 Material: Aluminium

 Norms: CE EN 362, EN 12275



04 AQUA 06 LIME

Aluminium

*** 2 TAP**

ZRC048

Weight: 84g
 Material: Aluminium

 Norms: CE EN 362, EN 12275



K-LOCK system Steel

*** HMS Magnum Steel 2T**

ZRC043

Weight: 254g
 Material: Steel

 Norms: CE EN 362, EN 12275



+ BLACK

K-LOCK system Aluminium

*** Carabiner AL O KL-2T**

ZRC025

Weight: 86g
 Material: Aluminium

 Norms: CE EN 362, EN 12275



K-LOCK system Steel

*** Carabiner Indoor**

ZRC018

Weight: 128g
 Material: Steel

 Norms: CE EN 12275



K-LOCK system Steel

*** HMS Magnum Steel 3T**

ZRC044

Weight: 253g
 Material: Steel

 Norms: CE EN 362, EN 12275



K-LOCK system Aluminium

*** Carabiner AL O KL-3T**

ZRC036

Weight: 84g
 Material: Aluminium

 Norms: CE EN 362, EN 12275



Steel

* Steel carabiner O KL-S

ZRC021

Weight: 172 g
 Material: Steel
 28 kN
 18 kN
 10 kN
 18 mm
 Norms: CE EN 362, EN 12275



Steel

* Steel carabiner D KL-S

ZRC023

Weight: 212 g
 Material: Steel
 40 kN
 18 kN
 18 kN
 24 mm
 Norms: CE EN 362, EN 12275



Steel

* MAILLON

ZWM003

Weight: 78 g
 Material: Steel
 Ø 8 mm
 25 kN
 10 kN
 Norms: CE EN 362, EN 12275



Steel

+ BLACK

* Steel carabiner O KL-2T

ZRC020

Weight: 174 g
 Material: Steel
 28 kN
 18 kN
 10 kN
 18 mm
 Norms: CE EN 362, EN 12275



Steel

+ BLACK

* Steel carabiner D KL-2T

ZRC022

Weight: 214 g
 Material: Steel
 40 kN
 18 kN
 18 kN
 24 mm
 Norms: CE EN 362, EN 12275



Steel

* Steel carabiner O KL-3T

ZRC034

Weight: 174 g
 Material: Steel
 28 kN
 18 kN
 10 kN
 18 mm
 Norms: CE EN 362, EN 12275



Steel

* Steel carabiner D KL-3T

ZRC035

Weight: 212 g
 Material: Steel
 40 kN
 18 kN
 18 kN
 24 mm
 Norms: CE EN 362, EN 12275



CARABINER	Code	Weight (g)	↔ (kN)	↕ (kN)	↔ (kN)	↕ (mm)	Material	Norms	Colours	Application
HMS MAGNUM S	ZRC031	90	26	10	8	Ø 24	Aluminium	EN 12275 / EN 362	Lime / Grey / Aqua	Sport / Work
HMS MAGNUM 2T	ZRC032	96	26	10	8	Ø 24	Aluminium	EN 12275 / EN 362	Lime / Grey / Aqua	Sport / Work
HMS MAGNUM 3T	ZRC033	96	26	10	8	Ø 24	Aluminium	EN 12275 / EN 362	Grey	Sport / Work
RACERS	ZRC047	53	24	9	8	Ø 17	Aluminium	EN 12275 / EN 362	Lime / Grey / Aqua	Sport / Work
RACER STRAIGHT	ZRC045	47	24	9	8	Ø 20	Aluminium	EN 12275	Lime / Purple / Aqua	Sport
RACER BENT	ZRC046	48	24	9	8	Ø 22	Aluminium	EN 12275	Lime / Purple / Aqua	Sport
HMSSMART S	ZRC050	68	24	8	6	Ø 21	Aluminium	EN 12275 / EN 362	Lime / Grey / Aqua / Purple	Sport
HMSSMART 2T	ZRC051	76	24	8	6	Ø 21	Aluminium	EN 12275 / EN 362	Lime / Grey / Aqua	Sport
HMSSMART 3T	ZRC052	77	24	8	6	Ø 21	Aluminium	EN 12275 / EN 362	Grey	Sport
HMS MAGNUM STEEL S	ZRC042	246	46	18	18	Ø 24	Steel	EN 12275 / EN 362	Silver-Orange	Sport / Work
HMS MAGNUM STEEL 2T	ZRC043	254	46	18	18	Ø 23	Steel	EN 12275 / EN 362	Silver-Orange	Sport / Work
HMS MAGNUM STEEL 3T	ZRC044	253	46	18	18	Ø 23	Steel	EN 12275 / EN 362	Silver-Orange	Sport / Work
SWIFT	ZRC041	36	22	7	7	Ø 25	Aluminium	EN 12275	Lime / Grey / Aqua / Purple	Sport
2 TAP	ZRC048	84	24	7	6	Ø 24	Aluminium	EN 12275 / EN 362	Lime / Aqua	Sport / Work
CARABINER INDOOR	ZRC018	128	25	9	9	Ø 26	Steel	EN 12275	Silver-Orange	Sport
CARABINER ALO KL-S	ZRC024	78	26	10	6	Ø 17	Aluminium	EN 12275 / EN 362	Silver-Orange	Sport / Work
CARABINER ALO KL-2T	ZRC025	86	26	10	6	Ø 17	Aluminium	EN 12275 / EN 362	Silver-Orange	Sport / Work
CARABINER ALO KL-2T BLACK	ZRC038	86	26	10	6	Ø 17	Aluminium	EN 12275 / EN 362	Black	Sport / Work
CARABINER ALO KL-3T	ZRC036	84	26	10	6	Ø 17	Aluminium	EN 12275 / EN 362	Silver-Orange	Sport / Work
STEEL CARABINER O KL-S	ZRC021	172	28	18	10	Ø 18	Steel	EN 12275 / EN 362	Silver-Orange	Sport / Work
STEEL CARABINER O KL-2T	ZRC020	174	28	18	10	Ø 18	Steel	EN 12275 / EN 362	Silver-Orange	Sport / Work
STEEL CARABINER O KL-3T	ZRC034	174	28	18	10	Ø 18	Steel	EN 12275 / EN 362	Silver-Orange	Sport / Work
STEEL CARABINER D KL-S	ZRC023	212	40	18	18	Ø 24	Steel	EN 12275 / EN 362	Silver-Orange	Sport / Work
STEEL CARABINER D KL-2T	ZRC022	214	40	18	18	Ø 24	Steel	EN 12275 / EN 362	Silver-Orange	Sport / Work
STEEL CARABINER D KL-2T BLACK	ZRC039	214	40	18	18	Ø 24	Steel	EN 12275 / EN 362	Black	Sport / Work
STEEL CARABINER D KL-3T	ZRC035	212	40	18	18	Ø 24	Steel	EN 12275 / EN 362	Silver-Orange	Sport / Work
MAILLON	ZWM003	78	25	10	—	—	Steel	EN 12275 / EN 362	Silver	Sport / Work

* SET COMBI P16

SES008

Quickdraws with light-weight carabiners in new, vibrant colours. The wire gate on the carabiner reduces the quickdraw weight and prevents freezing especially in alpine environments. Thanks to the low weight, there is minimal risk of the carabiner opening when impacting against rocks. Delivered with rubber Anti Slip band.

Weight: 95 g
Sling material: PA 16 mm
← → 22 kN
↕ 11 kN



04 AQUA

06 LIME

03 FUCHSIA

* SET RACER D13

SES012

Quickdraws with newly designed Racer Straight and Racer Bent carabiners. Set available with either Dyneema 13 mm or PA 16 mm express sling.

Weight: 105 g
Sling material: Dyneema 13 mm
← → 22 kN
↕ 11 kN



03 FUCHSIA

04 AQUA

06 LIME

* SET RACER P16

SES010

Quickdraws with newly designed Racer Straight and Racer Bent carabiners. Set available with either Dyneema 13 mm or PA 16 mm express sling.

Weight: 110 g
Sling material: PA 16 mm
← → 22 kN
↕ 11 kN



06 LIME

04 AQUA

03 FUCHSIA

* SET SWIFT D13

SES006

Quickdraws with light-weight carabiners in new, vibrant colours. The wire gate on the carabiner reduces the quickdraw weight and prevents freezing especially in alpine environments. Thanks to the low weight, there is minimal risk of the carabiner opening when impacting against rocks. Delivered with rubber Anti Slip band.

Weight: 76 g
Sling material: Dyneema 13 mm
← → 22 kN
↕ 11 kN



04 AQUA

06 LIME

03 FUCHSIA

* SET ROCK PACK COMBI P16

SES009

Quickdraws in new colours with newly designed Racer Straight and Swift carabiners. Packed in a set of 6.



AVAILABLE COLOURS



* SET ROCK PACK RACER D13

SES013

Quickdraws in new colours with newly designed Racer Straight and Racer Bent carabiners. Packed in a set of 6.



AVAILABLE COLOURS



* SET ROCK PACK RACER P16

SES011

Quickdraws in new colours with newly designed Racer Straight and Racer Bent carabiners. Packed in a set of 6.



AVAILABLE COLOURS



* SET ROCK PACK SWIFT D13

SES004

Quickdraws in new colours with newly designed swift carabiner. Packed in a set of 6.



AVAILABLE COLOURS



* SET SWIFT P16

SES007

Quickdraws with light-weight carabiners in new, vibrant colours. The wire gate on the carabiner reduces the quickdraw weight and prevents freezing especially in alpine environments. Thanks to the low weight, there is minimal risk of the carabiner opening when impacting against rocks. Delivered with rubber Anti Slip band.

Weight: 80g
Sling material: PA 16 mm
22 kN
11 kN



ANTI SLIP



ANTI SLIP



ANTI SLIP

* SET INDOOR

SEI003

Express set for use on climbing walls. Anti Slip is included.

Weight: 204g
Sling material: PA 25 / 16 mm
Carabiner and Maillon material: Steel
22 kN
14 kN




* SET LONG ARM 2

SEL004

An extended, re-inforced, quickdraw webbing with two carabiners to help easily click into protection on hard to reach spots.

Weight: 108g
Sling material: PA 16 mm
22 kN
25 kN



* ANTI SLIP 12 PACK

ROCK EMPIRE's rubber anti-slip webbing protector is now available in packs of 12 pieces. The anti-slip protector comes in 4 sizes to fit different webbing widths and holds carabiners and other connectors in the correct position while protecting the webbing from wear and tear.

Anti Slip 12 Pack	Code	Size (mm)	Pieces in the Pack
10mm	SEA010	10	12
13mm	SEA013	13	12
116mm	SEA016	16	12
22mm	SEA022	22	12



* SET ROCK PACK SWIFT P16

SES005

Quickdraws in new colours with newly designed swift carabiner. Packed in a set of 6.



ANTI SLIP

AVAILABLE COLOURS



QUICKDRAWS	Code	Weight(g)	Sling Material	Carabiner material	 (kN)	 (cm)
SET SWIFT D13	SES006	76	Dyneema 13 mm	Aluminium	22	11
SET ROCK PACK SWIFT D13	SES004	473	Dyneema 13 mm	Aluminium	22	11
SET RACER D13	SES012	105	Dyneema 13 mm	Aluminium	22	11
SET ROCK PACK RACER D13	SES013	652	Dyneema 13 mm	Aluminium	22	11
SET COMBI P16	SES008	95	PA 16 mm	Aluminium	22	11
SET ROCK PACK COMBI P16	SES009	592	PA 16 mm	Aluminium	22	11
SET SWIFT P16	SES007	80	PA 16 mm	Aluminium	22	11
SET ROCK PACK SWIFT P16	SES005	520	PA 16 mm	Aluminium	22	11
SET RACER P16	SES010	110	PA 16 mm	Aluminium	22	11
SET ROCK PACK RACER P16	SES011	674	PA 16 mm	Aluminium	22	11
SET INDOOR	SEI003	204	PA 25 / 16 mm	Steel	22	14
SET LONG ARM 25	SEL004	108	PA 16 mm	Aluminium	22	25

* EXPRESS SLING DYN 13 mm



New length of 18 cm now available.

Material: Dyneema
Width: 13 mm
Norms: CE EN 566



Code	Length	Strength	Width	MOQ*	Colour
CED011	11 cm	22 kN	13 mm	5	03 / 04 / 06
CED018	18 cm	22 kN	13 mm	5	03 / 04 / 06
CED026	26 cm	22 kN	13 mm	5	03 / 04 / 06

* Minimum Order Quantities

* EXPRESS SLING PA 16 mm



New length of 18 cm now available.

Material: PA
Width: 16 mm
Norms: CE EN 566



Code	Length	Strength	Width	MOQ*	Colour
CEA011	11 cm	22 kN	16 mm	5	03 / 04 / 06
CEA018	18 cm	22 kN	16 mm	5	03 / 04 / 06
CEA026	26 cm	22 kN	16 mm	5	03 / 04 / 06

* Minimum Order Quantities

* OPEN SLING DYN 13 mm



Material: Dyneema
Width: 13 mm
Norms: CE EN 566




Code	Length	Strength	Width	MOQ*	Colour
COD031	31 cm	22 kN	13 mm	5	03 / 04 / 06
COD060	60 cm	22 kN	13 mm	10	03 / 04 / 06
COD080	80 cm	22 kN	13 mm	10	03 / 04 / 06
COD100	100 cm	22 kN	13 mm	5	03 / 04 / 06
COD120	120 cm	22 kN	13 mm	5	03 / 04 / 06
COD150	150 cm	22 kN	13 mm	3	03
COD180	180 cm	22 kN	13 mm	3	06
COD240	240 cm	22 kN	13 mm	3	04

* Minimum Order Quantities

* OPEN SLING PA 16 mm



Material: PA
Width: 16 mm
Norms: CE EN 566



Code	Length	Strength	Width	MOQ*	Colour
COA031	31 cm	22 kN	16 mm	5	03 / 04 / 06
COA060	60 cm	22 kN	16 mm	10	03 / 04 / 06
COA080	80 cm	22 kN	16 mm	10	03 / 04 / 06
COA120	120 cm	22 kN	16 mm	5	03 / 04 / 06
COA150	150 cm	22 kN	16 mm	3	03
COA180	180 cm	22 kN	16 mm	3	06
COA240	240 cm	22 kN	16 mm	3	04


* Minimum Order Quantities

* EXPRESS SLING PA 20 mm



New length of 18 cm now available. 31 cm length only available with pre-order and an MOQ of 20 pcs.

Material: PA
Width: 20 mm
Norms: CE EN 566




Code	Length	Strength	Width	MOQ*	Colour
CEP011	11 cm	22 kN	20 mm	5	23 / 04 / 08
CEP018	18 cm	22 kN	20 mm	5	23 / 04 / 08
CEP026	26 cm	22 kN	20 mm	5	23 / 04 / 08
CEP031	31 cm	22 kN	20 mm	20+pre-order	23 / 04 / 08

* Minimum Order Quantities

* OPEN SLING PA 20 mm



Material: PA
Width: 20 mm
Norms: CE EN 566



Code	Length	Strength	Width	MOQ*	Colour
COP031	31 cm	22 kN	20 mm	5	23 / 04 / 08
COP060	60 cm	22 kN	20 mm	10	23 / 04 / 08
COP080	80 cm	22 kN	20 mm	10	23 / 04 / 08
COP120	120 cm	22 kN	20 mm	5	23 / 04 / 08
COP150	150 cm	22 kN	20 mm	3	08
COP180	180 cm	22 kN	20 mm	3	23
COP240	240 cm	22 kN	20 mm	3	04

* Minimum Order Quantities

* OPEN SLING DYN 10 mm



Material: Dyneema
Width: 10 mm
Norms: CE EN 566

05 RED



Code	Length	Strength	Width	MOQ*	Colour
CON031	31 cm	22 kN	10 mm	5	05
CON060	60 cm	22 kN	10 mm	10	05
CON080	80 cm	22 kN	10 mm	10	05
CON120	120 cm	22 kN	10 mm	5	05
CON150	150 cm	22 kN	10 mm	10+pre-order	05
CON180	180 cm	22 kN	10 mm	10+pre-order	05

* Minimum Order Quantities

* WEBBING ON A BOBBIN PA




Material: PA / Nylon
Length: 100 m

08 BLACK

04 AQUA

08 BLACK

09 GREEN



Code	Width	Length	Strength	Material	Weight	Colour
ZEP004	12 mm	100 m	9.5 kN	PA / Nylon	23 g / m	08
ZEP002	16 mm	100 m	15 kN	PA / Nylon	36 g / m	04
ZEP001	20 mm	100 m	15 kN	PA / Nylon	38 g / m	08
ZEP003	25 mm	100 m	20 kN	PA / Nylon	42 g / m	09


Note: Webbing may contain up to max. 3 cuts.

* OPEN SLING DYN 10 mm



Material: Dyneema
Width: 13 mm
Norms: CE EN 566

Code	Length	Strength	Width	Colour
CED110	110 cm	22 kN	13 mm	04
CED140	140 cm	22 kN	13 mm	03



03 FUCHSIA

04 AQUA



CAMS AND STOPPERS




* AXEL



ROCK EMPIRE's Axel spring loaded camming device offers a double-axle design that offers flexibility in terms of expansion range and light weight. Each size comes with a colour-coded extendable dyneema sling. Available for purchase individually or as part of the 6 or 8 piece set.

Norms: CE EN 12276

- 8 Sizes
- One stem cam
- Double-axle design offers a wide range for each cam unit
- Extendable dyneema colour-coded slings and large loops for easy manipulation



Code	Size	Range min. / max. (mm)	Weight (g)	Strength (kN)
ZFX025	0.25	14-22	98	6
ZFX050	0,5	16-27	100	7
ZFX001	1	18-31	110	8
ZFX002	2	22-38	116	8
ZFX003	3	27-47	134	9
ZFX004	4	35-60	164	9
ZFX005	5	46-80	212	14
ZFX006	6	64-108	254	14
SFX256	0.25-6	—	1 188	—
SFX016	1-6	—	990	—

* FLEXOR



Flexor offers a flexible stem and is versatile with 10 sizes making it perfect for horizontal cracks. Extendable colour-coded dyneema slings and large loops make them easily identifiable.

Norms: CE EN 12276

- 10 Sizes
- One stem cam
- Extendable dyneema colour-coded slings
- Large loops for easy manipulation



Code	Size	Range min. / max. (mm)	Weight (g)	Strength (kN)
ZFF025	0.25	12-16	78	7
ZFF050	0.5	14-20	84	9
ZFF075	0.75	16-23	86	10
ZFF001	1	19-28	100	11
ZFF002	2	22-34	108	11
ZFF003	3	27-44	118	11
ZFF004	4	33-53	154	12
ZFF005	5	43-68	176	12
ZFF006	6	55-88	224	12
ZFF007	7	70-110	280	12
SFF257	0.25-7	—	1 408	—



* COMET



The Comet is a lightweight spring loaded camming device offered in wide range of sizes.

Norms: CE EN 12276

- 11 Sizes
- Light-weight
- Dyneema colour-coded slings and triggers



Code	Size	Range min. / max. (mm)	Weight (g)	Strength (kN)
ZFC025	0.25	12-16.5	68	7
ZFC050	0.5	14-20	72	9
ZFC075	0.75	17-24	76	10
ZFC001	1	18.5-30.5	82	11
ZFC002	2	21-35	96	11
ZFC003	3	26-44.5	102	12
ZFC004	4	33-55	138	12
ZFC005	5	43-70	162	12
ZFC006	6	55-89	214	12
ZFC007	7	72-113	258	12
ZFC008	8	90-140	316	12
SFC255	0.25-5	—	796	—
SFC258	0.25-8	—	1 584	—



*** ABALAK SET** SFL016



The Abalak, a version of the English tricam, is a ROCK EMPIRE passive protection device and among the simplest and most eccentric of anchors. The Abalak can settle into rock fissures that have parallel sides either horizontally or vertically. Abalak is well suited to small holes and fissures and, often, it is the only stopper that will work in such situations.

Norms: CE EN 12270

Size	Range min. / max. (mm)	Strength (kN)	Weight (g)
1	18–21	6	20
2	19–26	6	26
3	21–32	10	36
4	24–42	10	50
5	27–53.5	14	78
6	31–63.5	14	116

Note: Stoppers only sold in sets.



*** BRASS-CHOCK SET** SFB018



8 sizes of standard wedge-shaped stoppers provide with Granite a unique combination of passive protection for almost any kind of cracks.

Norms: CE EN 12270

Size	Strength A (kN)	Strength B (kN)	Weight (g)
1	6	—	17
2	6	—	18
3	7	—	18
4	7	4	26
5	8	7	28
6	8	7	30
7	9	8	34
8	9	8	38

Note: Stoppers only sold in sets.

*** ALU-NUTS SET** SFA019



A combination of high-quality materials and a straight or slightly bent shape offer you great gear for protection in various cracks and scars. The slightly bent shape of the stoppers makes their placing easy and safe. These stoppers are manufactured from aluminium alloy in nine sizes.

Norms: CE EN 12270

Size	Strength A (kN)	Strength B (kN)	Weight (g)
1	9	8	22
2	9	8	24
3	9	8	24
4	10	10	28
5	10	10	30
6	10	10	32
7	10	10	38
8	12	12	42
9	12	12	50

Note: Stoppers only sold in sets.



*** DUO SET** SFD016



This is necessary gear when you climb a route with mostly thin cracks. Zinc based alloy ensures high strength and sufficient adhesion to the rock structure. Manufactured in 6 sizes.

Norms: CE EN 12270

Size	Size A (mm)	Size B (mm)	Strength (kN)	Weight (g)
1	10.5	6	6 / 3	16
2	11.5	6.8	6 / 3	16
3	12.5	7.8	6 / 3	20
4	13.5	8.7	10 / 5	28
5	14.5	9.8	10 / 5	30
6	15	10.6	10 / 5	30

Note: Stoppers only sold in sets.



CAMS AND STOPPERS



* HEX SET

SFH016



ROCK EMPIRE's Hex stoppers are great for wider cracks and offer a wide range of placements for many climbing conditions.

Norms: CE EN 12270

Size	Strength A (kN)	Strength B (kN)	Weight (g)
1	10	8	28
2	10	8	32
3	12	10	36
4	12	10	46
5	14	12	70
6	14	12	90

Note: Stoppers only sold in sets.



* NUT TOOL - SHORT

ZST002

Asymmetric stoppers, 5 sizes, 4 different possible size placements.

Weight: 32 g
Length: 172 mm

Size	Strength A (kN)	Strength B (kN)	Weight (g)
1	8	5	26
2	10	10	28
3	12	10	32
4	12	10	38
5	12	12	50

Note: Stoppers only sold in sets.

* GRANITE SET

SFG111



Perfect for crack climbing. Granite excels in high strength and low weight.

Norms: CE EN 12270

Size	Strength A (kN)	Strength B (kN)	Weight (g)
1	6	—	16
2	10	5	24
3	10	10	24
4	10	10	26
5	10	10	28
6	10	10	32
7	12	12	34
8	12	12	36
9	12	12	42
10	12	12	50
11	12	12	58

Note: Stoppers only sold in sets.



*** NUT TOOL BODKIN**



ZST010

Longer version of Nut Tool.

Weight: 30 g
Length: 265 mm



*** VECTOR SET**



SFV015

Multifunctional tool suitable for placing and removing stoppers. An ingenious tool.

Norms: CE EN 12270




*** NUT TOOL OPENER**



ZST001

Multifunctional tool for retrieving climbing stoppers complete with a bottle opener.

Weight: 56 g
Length: 202 mm



* GUARD

ZRB002

ROCK EMPIRE's Hex stoppers are great for wider cracks and offer a wide range of placements for many climbing conditions.

Rope: 7.8–11 mm
 Weight: 56 g
 Colour: 04 Aqua, 18 Orange
 Material: Aluminium
 Norms: CE EN 15151-2



04 AQUA



18 ORANGE

* GUARD II

ZRB011

ROCK EMPIRE Guard II is a universal, multi-featured aluminum device for belaying and rappelling. Guard II offers belaying for one or two seconding climbers independently. It has an auto-block system, which can be released by the hole for unblocking. The design ensures higher friction for slowing and stopping the rope. Now in new colours.

Rope: 7.8–11 mm
 Weight: 62 g
 Colour: 04 Aqua, 05 Red
 Material: Aluminium
 Norms: CE EN 15151-2



04 AQUA



05 RED

* EIGHT

ZRB001

A traditional belay and rappelling device that is made from hot forged Al-alloy of high durability. The ideal shape and size allows descending with one or two ropes.

Rope: 9–11 mm
 Weight: 104 g
 Colour: 04 Aqua
 Material: Aluminium
 Norms: CE EN 15151-2



* EIGHT BLACK

ZRB014

Rope: 9–11 mm
 Weight: 114 g
 Colour: 08 Black
 Material: Aluminium

* GYM

ZRB013

An ultra-light, aluminum device for belaying and rappelling specifically designed for use in climbing gyms.

Rope: 8.9–11 mm
 Weight: 54 g
 Colour: Blue
 Material: Aluminium
 Norms: CE EN 15151-2



* GUARD SB

ZRB018



A new universal belay device suitable for belaying and rappelling on rocks, multi-pitches, in the mountains and on ice. The belay device has an extended life thanks to the stainless steel bar, which the ropes go over. The belay device works best with ropes from 9 to 11 mm in diameter.

Rope: 9–11 mm
 Weight: 72 g
 Colour: 04 Aqua, 06 Lime, 13 Grey
 Material: Aluminium



04 AQUA



06 LIME



13 GREY



BELAY DEVICES	Code	Rope diameter (mm)	Weight (g)	Colour	Material
GYM	ZRB013	8.9-11	54	Blue	Aluminium
GUARD	ZRB002	7.8-11	56	04 Aqua, 18 Orange	Aluminium
GUARD II	ZRB011	7.8-11	62	04 Aqua, 05 Red	Aluminium
GUARD SB	ZRB018	9-11	72	04 Aqua, 06 Lime, 13 Grey	Aluminium
EIGHT	ZRB001	9-11	104	04 Aqua	Aluminium
EIGHT BLACK	ZRB014	9-11	114	08 Black	Aluminium




* DYNATWIST CTD002




The new generation of Via Ferrata equipment from Rock Empire. The main advantage of this new lanyard set is the swivel, connecting the two elastic "arms" to the fall arrest absorber webbing. The swivel segment ensures that the arms are not tangled in climbing and jumping. The carabiners have a palm lock ensuring perfect snap comfort. In addition, the swivel segment is also equipped with a loop for attaching the carabiners, which can be used in cases of resting, sitting or fixed protection.

Weight: 858g
 Color: Blue
 Material: Polyamide, aluminium
 Norms: CE EN 958

- The Via Ferrata lanyard meets the new EN 958: 2017 standard and is suitable for climbers in the weight range of 40–120kg. This set is also suitable for children. The fall arrest absorber webbing is stored in an improved durable package, with an activation indicator for easy inspection.



AL SEGMENT WITH TIE-IN POINT



SEE PAGE 15

* ROCKER GLOVES

ZSG002

Half fingered synthetic gloves intended for via ferrata and work with rope. Synthetic leather gloves with padding and stretch fabric.

Size: XS, S, M, L, XL
 Material: Synthetic leather, synthetic stretch fabric




* LANYARD Y PA 25 MM FERRATA

CPY015 / CPY020



Special reinforced sling for connecting sit harness and chest harness for climbing on Via Ferrata routes. Thanks to this sling, putting on and adjusting the chest and sit harness is more comfortable, faster and safer. An anti-slip piece is also included.

Colours: Black-Red / Black-Grey
 Weight: 80g Red / 87g Grey
 Norms: CE EN 354, EN 795



RECOMMENDED BODY HEIGHT: 120 CM – 170 CM RED / 160 CM – 210 CM GREY

* **KANREI** ZBK003



Universal shoe designed for advanced climbers. It's a perfect balance of comfort, durability, value and high performance. It is suitable for all kinds of rock.

Size: 34-47 EU half size
 Weight: 450 g (pair size 42 EU)
 Upper: Synthetic leather
 Lining: Super Royal
 Midsole: Termopat 1.6 mm
 Sole: Cling 4 mm
 Colour: 07 Blue



* **SHOGUN** ZBS003



A simple lace shoe constructed specially for beginners and intermediate climbers. A medium soft shoe that will give comfort for a long day of climbing. The laces allow the shoe to fit a wide variety of feet, so it is a perfect for rentals and gyms. It is suitable for indoor and outdoor climbing.

Size: 34-47 EU half size
 Weight: 430 g (pair size 42 EU)
 Upper: Synthetic leather
 Lining: Super Royal
 Midsole: Termopat 1.6 mm
 Sole: Cling 4 mm
 Colour: 06 Green



SIZE CHART - CLIMBING SHOES

EUR	34	34.5	35	35.5	36	36.5	37	37.5	38	38.5	39	39.5	40	40.5	41	41.5	42	42.5	43	43.5	44	44.5	45	45.5	46	46.5	47
UK	1.5	2	2.5	3	3 ¼	3.5	4	4.5	5	5 ¼	5.5	6	6.5	7	7 ¼	7.5	8	8.5	9	9 ¼	9.5	10	10.5	11	11 ¼	11.5	12
US	2.5	3	3.5	4	4 ¼	4.5	5	5.5	6	6 ¼	6.5	7	7.5	8	8 ¼	8.5	9	9.5	10	10 ¼	10.5	11	11.5	12	12 ¼	12.5	13




* MACHKI ZTM001

Twelve, steel-point, ice climbing crampons with a universal binding. They are suitable for trekking, climbing and ski alpine activities. The crampons come with two extra size bars for extending the size up to 48 EU. To protect the crampons and other gear, we recommend purchase and use of the ROCK EMPIRE Crampons bag (Code: ZAM001) designed especially for storing and keeping your crampons safe.


Weight: 980 g (pair)
 Size: One size (fits 36–48 EU with included size bars)
 Antiboot: 185×138 cm
 Material: Steel and plastic
 Norms: CE EN 893



ANTIBOOT PLASTIC



ADJUSTABLE SYSTEM



EXTRA SIZE BARS INCLUDED

* MACHKI EXPERT ZTM002

Designed for more advanced users, the Machki EXPERT has a semi-automatic locking system with metal bars at the heel. Made to fit technical mountain boots, the crampon has twelve steel-points and comes with two extra size bars for extending each crampon up to size 48 EU. To protect the crampons and other gear, we recommend purchase and use of the ROCK EMPIRE Crampons Bag (Code: ZAM001) designed especially for storing and keeping crampons safe.

Weight: 1 036 g (pair)
 Size: One size (fits 36–48 EU with included size bars)
 Antiboot: 185×138 cm
 Material: Steel and plastic
 Norms: CE EN 893



ANTIBOOT PLASTIC



SEMI-AUTOMATIC LOCKING SYSTEM

* CHACKAN ZTC001

Light weight ice axe for trekking and mountaineering. Leash attached. Additional leashes (ZOC001) can be purchased separately.

Weight: 440 g (60 cm)
 Length: 55, 60, 65 cm
 Handle: AL 7075
 Head: Steel
 Type: B
 Norms: CE EN 13089



* CHACKAN SKI ZTC002

New, lightweight tourist ice axe with an ergonomic curve for a wide range of applications. Leash attached. Additional leashes (ZOC001) can be purchased separately.

Weight: 438 g (60 cm)
 Length: 55, 60, 65 cm
 Handle: AL 7075
 Head: Steel
 Type: B
 Norms: CE EN 13089



* GAITERS ZAM002



Leg protectors made of durable material. Protectors are fitted with an easy to use front zipper with a cover and hook. Protectors prevent penetration of snow and wetness from below the knee and cover the top of a boot. They are ideal for summer mountain trips and an excellent protection against mud, dirt and snow. Compared to conventional gaiters, ours have a hypalon strap. The material is noted for its strength and durability. It is designed to withstand the sharp points of crampons.

Shoe size: S 36–39 (EU), M 40–43 (EU), L (44–47 (EU))
 Weight: 220 g (pair)
 Colour: Black, Dark grey
 Material: 450D PES Ripstop, PU Coating

* CRAMPONS BAG ZAM001

Travel bag for crampons.

Weight: 128 g
 Length: 400 mm
 Width: 150 mm
 Depth: 90 mm





* STRIKE 9.4



An excellent single rope with low weight, great technical parameters and a simple braiding system (SBS) of the sheath, which makes the rope not only more resistant to abrasion, but also soft and easy to manipulate. The best choice for both performance and sport climbing.

Colour:	06 Lime
Rope Diameter:	9,4mm
Impregnation:	Standard or Complete Shield
Weight:	58 g / m
Length:	30, 50, 60, 80, 100, 200 m
Number of UIAA Falls:	6
Max. Impact Force:	7 kN
Sheath Slippage:	0%
Static Elongation:	6,2%
Dynamic Elongation:	37%
Knotability:	0,9
Norms:	CE EN 892



06 LIME

Standard	Complete Shield	Length
ZLE030	ZLI030	30m
ZLE050	ZLI050	50m
ZLE060	ZLI060	60m
ZLE080	ZLI080	80m
ZLE100	ZLI100	100m
ZLE200	ZLI200	200m

* TANGO 9.8



A rope designed for sport climbing. It has a small diameter, high abrasion resistance and long lifespan. Its low weight, higher fall rating and excellent ease of handling are all benefits to help you push your own limits.

Colour:	07 Blue
Rope diameter:	9,8mm
Impregnation:	Standard or Complete Shield
Weight:	64 g / m
Length:	30, 50, 60, 80, 100, 200 m
Number of UIAA Falls:	9
Max. Impact Force:	7,1 kN
Sheath Slippage:	0%
Static Elongation:	6,2%
Dynamic Elongation:	35%
Knotability:	0,8
Norms:	CE EN 892



07 BLUE

Standard	Complete Shield	Length
ZLH030	ZLB030	30m
ZLH050	ZLB050	50m
ZLH060	ZLB060	60m
ZLH080	ZLB080	80m
ZLH100	ZLB100	100m
ZLH200	ZLB200	200m

* DUO 7.8



Dynamic rope certified both as a half and twin rope. It is very light weight rope with small diameter and a good durability. Designed for daily use on artificial climbing walls, in sport climbs as well as for extreme ascents in the mountains.

	1/2	Twin
Colour:	05 Red, 07 Blue	05 Red, 07 Blue
Rope diameter:	7,8mm	7,8mm
Impregnation:	Standard or Complete Shield	Standard or
Complete Shield		
Weight:	38 g / m	38 g / m
Length:	30, 50, 60, 80, 100, 200 m	30, 50, 60, 80, 100, 200 m
Number of UIAA Falls:	6	16
Max. Impact Force:	5,2 kN	7,9 kN
Sheath Slippage:	0%	0%
Static Elongation:	6,5%	6,1%
Dynamic Elongation:	32%	33%
Knotability:	0,9	0,9
Norms:	CE EN 892	CE EN 892

Standard	Complete Shield	Length
ZLD030	ZLO030	30m
ZLD050	ZLO050	50m
ZLD060	ZLO060	60m
ZLD080	ZLO080	80m
ZLD100	ZLO100	100m
ZLD200	ZLO200	200m



05 RED



07 BLUE

* STATIC ROPE 10 mm



Heavy-duty rope with low elongation and high static strength, intended primarily for work at heights and for rescue. The thicker the diameter, the stronger the rope.

Colour:	01 White, 05 Red, 07 Blue, 08 Black
Rope Diameter:	10 mm
Weight:	69 g / m
Length:	30, 60, 100, 200 m
Number of Falls Min.:	20
Strength:	31 kN
Min. Strength with Knots:	17 kN
Sheath Slippage:	4 mm
Static Elongation (50–150 Kg):	3.4%
Material:	PA
Type:	A
Norms:	CE EN 1891

Code	Length
ZLS030	30 m
ZLS060	60 m
ZLS100	100 m
ZLS200	200 m



07 BLUE

* STATIC ROPE 10.5 mm



Heavy-duty rope with low elongation and high static strength, intended primarily for work at heights and for rescue.

Colour:	01 White, 05 Red, 07 Blue, 08 Blacká
Rope Diameter:	10.5 mm
Weight:	72 g / m
Length:	30, 60, 80, 100, 200 m
Number of Falls Min.:	20
Strength:	32 kN
Min. Strength with Knots:	18 kN
Sheath Slippage:	3 mm
Static Elongation (50–150 Kg):	3.4%
Material:	PA
Type:	A
Norms:	CE EN 1891

Code	Length
ZLT030	30 m
ZLT060	60 m
ZLT080	80 m
ZLT100	100 m
ZLT200	200 m



01 WHITE

* STATIC ROPE 11 mm



Heavy-duty rope with low elongation and high static strength, intended primarily for work at heights and for rescue.

Colour:	01 White, 05 Red, 07 Blue, 08 Black
Rope Diameter:	11 mm
Weight:	80 g / m
Length:	30, 60, 100, 200 m
Number of Falls Min.:	20
Strength:	33 kN
Min. Strength with Knots:	20 kN
Sheath Slippage:	5 mm
Static Elongation (50–150 Kg):	3.3%
Material:	PA
Type:	A
Norms:	CE EN 1891

Code	Length
ZLK030	30 m
ZLK060	60 m
ZLK100	100 m
ZLK200	200 m



05 RED

* STATIC ROPE CANYON 10 mm



Maximum wear resistance, low elongation and increased water resistance are properties that make Canyon the right rope for various water sports. Thanks to the combination of the materials PA for the sheath and PPV for the core, the rope has a low capacity for absorption and floats on the surface.

Colour:	02 Yellow
Rope Diameter:	10 mm
Weight:	61 g / m
Length:	30, 60, 80, 100, 200 m
Number of Falls Min.:	20
Strength:	18 kN
Min. Strength with Knots:	12 kN
Sheath Slippage:	2.6 mm
Static Elongation (50–150 Kg):	3.2%
Material:	PA / PPV
Norms:	CE EN 1891

Code	Length
ZLY030	30 m
ZLY060	60 m
ZLY080	80 m
ZLY100	100 m
ZLY200	200 m



02 YELLOW



DYNAMIC ROPES	Code Standard	Code Complete Shield	Length (m)	Rope Diameter (mm)	Weight g/m	Number of UIAA Falls	Max. Impact Force (kN)	Sheath Slippage (%)	Static Elongation (%)	Dynamic Elongation (%)	Knotability	Colours	Norms
STRIKE 9.4	ZLE030	ZLI030	30	9.4	58	6	7	0	6.2	37	0.9	06 Lime	EN 892
	ZLE050	ZLI050	50										
	ZLE060	ZLI060	60										
	ZLE080	ZLI080	80										
	ZLE100	ZLI100	100										
	ZLE200	ZLI200	200										
TANGO 9.8	ZLH030	ZLB030	30	9.8	64	9	7.1	0	6.2	35	0.8	07 Blue	EN 892
	ZLH050	ZLB050	50										
	ZLH060	ZLB060	60										
	ZLH080	ZLB080	80										
	ZLH100	ZLB100	100										
	ZLH200	ZLB200	200										
DUO 7.8	ZLD030	ZLO030	30	7.8	38	6 (Half) 16 (Twin)	5.2 (Half) 7.9 (Twin)	0	6.5 (Half) 6.1 (Twin)	32 (Half) 33 (Twin)	0.9	05 Red 07 Blue	EN 892
	ZLD050	ZLO050	50										
	ZLD060	ZLO060	60										
	ZLD080	ZLO080	80										
	ZLD100	ZLO100	100										
	ZLD200	ZLO200	200										

STATIC ROPES	Code	Length (m)	Rope Diameter (mm)	Weight g/39m	Number of Falls Min.	Strength (kN)	Min. Strength with Knots (kN)	Sheath Slippage (mm)	Static Elongation (50–150 kg) (%)	Material	Type	Colours	Norms
STATIC ROPE 10MM	ZLS030	30	10	69	20	31	17	4	3.4	PA	A	01 White 05 Red 07 Blue 08 Black	EN 1891
	ZLS060	60											
	ZLS100	100											
	ZLS200	200											
STATIC ROPE 10.5MM	ZLT030	30	10.5	72	20	32	18	3	3.4	PA	A	01 White 05 Red 07 Blue 08 Black	EN 1891
	ZLT060	60											
	ZLT080	80											
	ZLT100	100											
STATIC ROPE 11MM	ZLK030	30	11	80	20	33	20	5	3.3	PA	A	01 White 05 Red 07 Blue 08 Black	EN 1891
	ZLK060	60											
	ZLK100	100											
	ZLK200	200											
STATIC ROPE CANYON 10MM	ZLY030	30	10	61	20	18	12	2.6	3.2	PA/PPV	—	02 Yellow	EN 1891
	ZLY060	60											
	ZLY080	80											
	ZLY100	100											
ZLY200	200												

SLEEPING BAGS

* MONTANA ZCM002 – REGULAR, ZCM003 – LONG



The most insulated sleeping bag in the Rock Empire line. The three layers ensures highly effective insulation.

Size: Long – 230×80×50 cm / Regular – 205×80×50 cm
 Weight: Long – max. 2 960 g / min. 2 800 g / Regular – max. 2 585 g / min. 2 434 g
 Filling: 75D 185T Siliconized poly PU 4000 mm
 Outside m.: 70D 210T Nylon Ripstop BR
 Inner m.: 150D Poly Oxford 7000 mm
 Cover: Long – 56×32 cm / Regular – 51×28 cm
 Temps: CE EN 13537 (comfort / limit / extreme)

-10°C / -17°C / -38°C

* ARKTIDA

ZCA001 – SMALL, ZCA002 – REGULAR, ZCA003 – LONG



A comfortable sleeping bag for cold nights. Synthetic fibre in two layers ensures warmth and comfort.

Size: Long – 230×80×50 cm / Regular – 205×80×50 cm / Small – 195×75×48 cm
 Weight: Long – max. 1 960 g / min. 2 120 g / Regular – max. 1 830 g / min. 1 670 g / Small – max. 1 530 g / min. 1 400 g
 Filling: Thermolite Quallo 160 g / m²×2
 Outside m.: 44D 260T Nylon Tactel Ripstop W / R Double Cire
 Inner m.: 44D 237T Nylon Tactel Taffeta W / R Cire
 Cover: Long – 46×26 cm / Regular – 46×24 cm / Small – 43×20 cm
 Temps: CE EN 13537 (comfort / limit / extreme)

-3°C / -9°C / -28°C

* CYKLOTOUR

ZCC001 – SMALL, ZCC002 – REGULAR, ZCC003 – LONG



The most popular universal sleeping bag for all those who like to spend their free time in nature.

Size: Long – 230×80×50 cm / Regular – 205×80×50 cm / Small – 195×75×48 cm
 Weight: Long – max. 1 560 g / min. 1 420 g / Regular – max. 1 390 g / min. 1 250 g / Small – max. 1 340 g / min. 1 200 g
 Filling: Thermolite Quallo 200 g / m²×1
 Outside m.: 44D 260T Nylon Tactel Ripstop W / R Double Cire
 Inner m.: 44D 237T Nylon Tactel Taffeta W / R W / P Cire
 Cover: Long – 43×20 cm / Regular – 43×19 cm / Small – 41×18 cm
 Temps: CE EN 13537 (comfort / limit / extreme)

+4°C / -2°C / -18°C

+3°C / -2°C / -19°C

+7°C / +2°C / -13°C

* BIKE ZCK002



Ultralight sleeping bag. Thanks to the material used it is very easy to fold, excellent for lovers of summer cycling tours. Ideal for summer camping.

Size: 220×80×50 cm
 Weight: max. 1 210 g / min. 1 100 g
 Filling: Thermolite Quallo 125 g / m² ×1
 Outside m.: 230T Poly Diamond W / R Double Cire
 Inner m.: 190T Poly Pongee W / R Double Cire
 Cover: 42×18 cm

* ONTARIO

ZCO001 – SMALL, ZCO002 – REGULAR, ZCO003 – LONG



This is a popular sleeping bag for all year use. Zipper cover trimming, warming collar.

Size: Long – 230×80×50 cm / Regular – 205×80×50 cm / Small – 195×75×48 cm
 Weight: Long – max. 1 710 g / min. 1 571 g / Regular – max. 1 580 g / min. 1 450 g / Small – max. 1 550 g / min. 1 420 g
 Filling: Hollow Fiber 4 (Quattrotherm) 160 G / m²×2, 180 g / m²×1
 Outside m.: 70D 210T Nylon Taffeta W / R Double Cire
 Inner m.: 70D 210T Nylon Taffeta W / R Double Cire
 Cover: Long – 43×23 cm / Regular – 43×20 cm / Small – 41×19 cm
 Temps: CE EN 13537 (comfort / limit / extreme)



SLEEPING BAGS	Code	Temperatures °C Comfort / Limit / Extreme	Size	Parameters (cm)	Weight (g)	Cover (cm)	Zipper	Norms
MONTANA	ZCM002	-10 / -17 / -38	Regular	205×80×50	max. 2585 / min. 2434	51×28	Left / Right	CE EN 13537
	ZCM003		Long	230×80×50	max. 2960 / min. 2800	56×32		
ARKTIDA	ZCA001	-3 / -9 / -28	Small	195×75×48	max. 1530 / min. 1400	43×20	Left	CE EN 13537
	ZCA002		Regular	205×80×50	max. 1830 / min. 1670	46×24	Left / Right	
	ZCA003		Long	230×80×50	max. 2120 / min. 1960	46×26		
BIKE	ZCK002	+7 / -2 / -13	—	220×80×50	max. 1210 / min. 1100	42×18	Left / Right	CE EN 13537
CYKLOTOUR	ZCC001	+4 / -2 / -18	Small	195×75×48	max. 1340 / min. 1200	41×18	Left	CE EN 13537
	ZCC002		Regular	205×80×50	max. 1390 / min. 1250	43×19	Left / Right	
	ZCC003		Long	230×80×50	max. 1560 / min. 1420	43×20		
ONTARIO	ZCO001	+3 / -2 / -19	Small	195×75×48	max. 1550 / min. 1420	41×19	Left / Right	CE EN 13537
	ZCO002		Regular	205×80×50	max. 1580 / min. 1450	43×20		
	ZCO003		Long	230×80×50	max. 1710 / min. 1571	43×23		

* NORA CSL002



A simple, light and modern rope bag that can easily hold a rope up to 100 m. Thanks to the placement of the bag in the middle of the tarp, the rope can be quickly packed by pulling up the 4 corner straps on the tarp. The rope ends can also be tied the corner straps, which have different colours. The rope can be unpacked quickly using the strap at the bottom of the bag. The bag closes by rolling down the opening and fastening it closed with an aluminium buckle.

Weight: 450g

- Includes an attached 140×20 cm tarp.
- 2 smaller handles for carrying between routes.
- Shoulder strap for carrying over longer distances.



* HUGO+ VSL003



A comfortable rope backpack for carrying all your climbing gear. Including larger tarp with 4 corner loops to facilitate packing and handling of the tarp.

Weight: 498g

- Includes an attached 150×125 cm tarp.
- Fresh design with new colors matching our other products and accessories.
- Lower weight due to use of lighter weight buckles and non-padded straps.
- Rope length: max. 100 m.





* MAGNESIUM CRUSH 300 g ZSM001

Quality magnesium in larger bag.

Weight: 300 g



* MAGNESIUM CUBE ZSM005

Quality magnesium.

Weight: 56 g



* MAGNESIUM BALL ZSM004

Quality magnesium.

Weight: 35 g



* MAGNESIUM CONTAINER ZSM006

Quality magnesium.

Weight: 100 g



* CLIMBING TAPE 25 mm ZST006

White climbing tape designed to protect climber's fingers. Offers a strong, non-allergenic adhesive that will not leave residue on your fingers.

Width: 25 mm
Length: 10 m
Weight: 42 g



* MAGNESIUM BALL REFILLABLE ZSM007

Quality magnesium in a re-fillable and re-useable cloth bag.

Weight: 40 g



* MAGNESIUM LIQUID ZSM008

Quality liquid magnesium.

Volume: 200 ml



* CHALK BELT VSB002



* CHALK BAGS



Updated, brighter colours designed to complement ROCK EMPIRE's SLIGHT sport harnesses.

Code	Model	Size	Weight
VSC010	Spiral Black-Lime*	16x12 cm	86 g
VSC010	Spiral Black-Aqua*	16x12 cm	86 g
VSC010	Spiral Aqua*	16x12 cm	88 g
VSC010	Spiral Purple*	16x12 cm	88 g
VSC010	Spiral Navy*	16x12 cm	90 g
VSC010	Spiral Lime*	16x12 cm	86 g
VSC012	Chalk Bag Streak*	17x12 cm	94 g
VSC011	Chalk Bag Hopi Kid*	14x10 cm	82 g

* Until stocks last.



COMING SOON (The new Chalk Belts will be part of the new Chalk Bags.)

VSC013	Basic / Black (aqua)	16x12 cm	86 g
VSC013	Basic / Black (red)	16x12 cm	86 g
VSC013	Basic / Black (Lime)	16x12 cm	86 g
VSC014	Basic Slight / Aqua	16x12 cm	86 g
VSC014	Basic Slight / Lime	16x12 cm	86 g
VSC014	Basic Slight / Purple	16x12 cm	86 g
VSC014	Basic Slight / Navy	16x12 cm	86 g

* CHALK BELT

COMING SOON



SPIRAL BLACK-LIME*

SPIRAL BLACK-AQUA*

SPIRAL AQUA*

SPIRAL PURPLE*



SPIRAL NAVY*

SPIRAL LIME*

CHALK BAG STREAK*

CHALK BAG HOPI KID*



BASIC / BLACK (AQUA)

BASIC / BLACK (RED)

BASIC / BLACK (LIME)



BASIC SLIGHT / AQUA

BASIC SLIGHT / LIME

BASIC SLIGHT / PURPLE

BASIC SLIGHT / NAVY

*** X-BAGS**

VSC005



Large chalk bags ideal for bouldering, perfect velcro closing.

Weight: 312 g
Size: 25x20 cm



*** WEIGHT BAG**

VWV008



Large chalk bags ideal for bouldering, perfect velcro closing.

Colour: Orange
Maximum Fill Weight: 25 kg

- Adjustable length.
- Hanging carabiner.



*** CLIMBING HANGER C / 10 mm** CSL001

A helpful textile product for technical climbing. 5 re-inforced loops make it easy to use and get where you want. For body weight only.

Strength: 25 kN
Fixing hole Diameter: 10 mm
Weight: 63 g
Material: Galvanized steel
Norms: CE EN 959, EN 795



*** LADDER**

CSL001



A helpful textile product for technical climbing. 5 re-inforced loops make it easy to use and get where you want. For body weight only.

Weight: 209 g
Length: 140 cm



*** ANCHOR CHAIN**

ZRN001

For climbing walls, ROCK EMPIRE offers ROCK ANCHOR CHAIN: a stainless steel chain complete with two opposing carabiners and two galvanized bolts hangers.

Strength: 25 kN
Fixing hole Diameter: 10 mm
Weight: 694 g
Material: Stainless steel
Norms: CE EN 959, EN 12275



*** HELPER**

ZSD001



* **FERRATA TWIST SET** SFT001

NEW PRODUCT



EIGHT VARIO

+



SPEEDY

+



DYNATWIST

+



SLING

Length: 150 cm
Width: 20 mm

* **BELAY SET GUARD II** SRB006



GUARD II HMS MAGNUM S

* **BELAY SET GUARD** SRB005



HMS MAGNUM S GUARD

* **BELAY SET GYM** SRB007



GYM HMS MAGNUM 2T

* **BELAY SET EIGHT** SRB004



HMS MAGNUM S EIGHT

* **DYNATWIST STREAK SET** SDS002

NEW PRODUCT



STREAK

+



DYNATWIST

* **CLIMBING SET BASIC** SUS109



STREAK

+



OR

GUARD or EIGHT

+

HMS MAGNUM S

* **CLIMBING SET PREMIUM** SUS108



STREAK

+



ARCO BLACK CHALK BAG

+



MAGNESIUM BALL 35 g

+



OR

GUARD or EIGHT

HMS MAGNUM S



* KEY RINGS WEBBING VPK001

Minimum order quantity 10 pcs.



* QB BELT VSB003

VSB003



* KEY RINGS VPK001

VPK001

Code	Model	MOQ*
ZPK001	Brass	10
ZPK002	Alu	10
ZPK003	Cam	10

* Minimum Order Quantity



* SILVER EARRINGS




Antiqued or sterling silver.

Material: Sterling Silver – Ag 925 / 1000

Code	Silver Earrings
ZPJ003	Cam
ZPJ002	Quickdraw
ZPJ001	Carabiner
ZPJ006	Piton
ZPJ004	Eight
ZPJ005	Rope Knot
ZPJ007	Hanger
ZPJ019	Spiral



CAM



QUICKDRAW



CARABINER




PITON



EIGHT



ROPE KNOT



HANGER



SPIRAL

* SILVER CHARMS




Antiqued or sterling silver.

Material: Sterling Silver – Ag 925 / 1000

Code	Silver Charm
ZPJ014	Cam
ZPJ013	Quickdraw
ZPJ012	Carabiner
ZPJ017	Piton
ZPJ015	Eight
ZPJ016	Rope Knot
ZPJ008	Necklace
ZPJ020	Spiral



CAM



QUICKDRAW



CARABINER



PITON



EIGHT



ROPE KNOT



HANGER



SPIRAL



ALBANIA

JEZERCA Outdoor and Sports
Rr Ibrahim Rugova, përballë kompleksit
Taiwan
Phone: +35545800026
info@kubisports.com
www.jezerca.al

AUSTRALIA

EXPEDITION EQUIPMENT
Unit 33, 28 Barcoo Street
Roseville NSW 2069
Phone: +61 2 9417 5755
Fax: +61 2 9417 5722
sales@expeditionequipment.com.au

AUSTRIA

Agentur Condor
Haselsteiner Thomas
Schwarzenbach 14
3342 Opponitz
berg.condor@speed.at
Phone: +43 7444 / 22212

BRAZIL

M. ARNAUD & CIA LTDA
Rua Alfredo Ortenzi
125 – Jd. Sao Jose
12916-190 Braganca Paulista-SP
Phone: +55-11-46 32 86 88
Fax: +55-11-40 33 86 87
contato@m-arnaud.com.br
www.m-arnaud.com.br

BULGARIA

STENATA 1997 EOOD
STAMBOLIIISKI 20-V BLVD. SOFIA
Phone: +359-2-98 90 538
FAX: +359-2-98 03 200
WWW.STENATA.COM
info@stenata.com

CHILE

JUST CLIMB
Soc. Com. OSSHER Ltda.
Carlos XII 120 Loc. E
Las Condes, Santiago
Phone / Fax: +56-2-2639499
www.justclimb.cl

CHINA

G-VIEW ADVENTURE EQUIPMENT CO.
Room 1806, Unit 2, Building 3,
ZHU JIANG MO ER INT. CENTER
Bei Qing Road No. 1,
Chang Ping District
Beijing, 102206
Phone: 0086-10-6836 5520, 0086-10-6836 5520
Fax: 0086-10-6836 5520

CROATIA

BIM SPORT d.o.o.
Slavonska 1
42000 Varaždin
Phone: 00385 42 302 176
www.bimспорт.com
info@bimспорт.com

CZECH REPUBLIC / SLOVAKIA

HUDYSPORT A.S.
405 02 Bynovec 138
Czech Republic
Phone: +420 412 511 952
Fax: +420 412 511 955
info@hudy.cz
www.hudy.cz

DENMARK

FJELD & FRITID
Frederiksborggade 28
DK-1360 Kobenhavn K
Phone: +45-33-11 22 71
ski@fjeld-fritid.dk

DOMINICAN REPUBLIC

GIORDANNO DE PEÑA / GDPC
Av. Luperón No.4
Zona Industrial Herrera
Santo Domingo, DN
Phone: 809-604-5383
gdpcrespo@gmail.com

ECUADOR

Unisport
RUC:1001646817001
Cajas 1-117 Y Los Andes
CUENCA
+593 7 2 863709
johnsichel@yahoo.es

ESTONIA

MATKAMAAILM
Jaama 12
Tallin 11621
Phone: +372 6701 231
info@matkamaailm.ee
www.matkamaailm.ee

FRANCE

TERRE INFINIE
37 Rue du Château
06640 Saint-Jeannet
Phone: +33980900433
Phone: +33674584921
terreinfinie@laposte.net

GEORGIA

MOGZAURI LTD.
193 Nutsbidze str.
0186 Tbilisi
Phone: + 995 599 547500
Mob.: +995 595 565565
info@mogzauri.ge
www.mogzauri.ge

GERMANY

FRANTIC SPORTS
Milan Franek
Am Gruberfeld 6a
D-86456 Gablingen
Phone: +49(0) 8230 2823
Handy: +49(0) 172 8229700
info@frantic.de
www.franticsports.de

GERMANY

GEAR UP
Hannberger Weg 35
91091 Großenseebach
Phone: 0049 (0)9135 / 7361167
Fax: 0049 (0)9135 / 7361161
info@rockempireplanet.de
www.rockempireplanet.de

GERMANY

Sales Representative
Joachim Kraft
Phone: +49 (0) 7664 | 96 24 77
Mobil. +49 (0) 176 | 2206 6146
joachim.kraft@iceagle.com

GREECE / CYPRUS

POLO S.A.
62 Zisimopoulou Str.
175 64 Palaio Falíro – Athens
Phone: +30 210 942 8200
Fax: +30 210 943 0188
sales@polo.gr
www.polo.gr

HONG KONG

RC OUTFITTERS
9C Dragon Industrial Bldg.
93 King Lam Street
Cheung Sha Wan, Kowloon
Phone: +852 2390 0762
Fax: +852 2390 0691
admin@alink.com.hk

HUNGARY

MOUNTEX
Rózsa utca 16
2000 Szentendre
Phone: +3626 / 501-220
Fax: +3626 / 501-221
mountex@mountex.hu
www.mountex.hu

ICELAND

ISLENSKU ALPARNIR – PROSPORT EHF.
Faxafen 12
Reykjavik 108
Phone: +354 534 2727
alparnir@alparnir.is
www.alparnir.is

INDIA

AVI INDUSTRIES
13, Shriji Sadan
Chandavarkar Rd
Matunga (E), Mumbai
Maharashtra – 400 019
Phone: +91 22 241 03 810, +91 86 550 79 787
avinashkamath@gmail.com
www.aviindustries.com

IRAN

PISHGAMANNEJAT ELEYA
2nd Fl, No.45, 19th Bahman Alley
Golestan 35 Meter Build.
Tehran
Phone: +9821 44 602 780
info@pishgamennejat.com

ISRAEL

ALPINE STYLE
91, Hahasmonaim Street
Tel-Aviv
Phone: +972-(0)72-250-50-44
Fax: +972-(0)72-250-50-66
www.alpinestyle.co.il

JAPAN

MAGIC MOUNTAIN CO., LTD.
2-8-5 Nobidome
352-0011 Niiza City, Saitama
Phone: +81-48-480 0088
Fax: +81-48-480 0089
info@magic-mountain.jp
www.magic-mountain.jp

KAZAKHSTAN

VERTICAL
trade house "GARANT AUTOCITY"
Prospekt Bogenbay Batyr 73 / 1, boutique 334
Astana
Phone: +7 (7172)779187, +7 (7172) 629772
Mob.: +7 7017313769, +7 7017307871
Skype: vertical.kz
vertical.kz@yandex.kz
www.vertical.kz

KOREA

Spring 7
704 Hana EZ Tower, No.158
Gumi-Dong, Budang-Gu
Seongnam-Si, Gyeonggi-Do
Jae-Hyuk, Choi
Email: mtvilla@naver.com
Phone: +8231 715 0334
Web: www.spring7.tv

LATVIA

VESSPO
Brivibas Str.155
LV-1012 RIGA
Phone: +37167360330
Fax: +37167378427
vesspo@vesspo.lv
www.celotajs.com

LITHUANIA

UAB Traversas
Jonavos g 260, Kaunas
LT-44131
Phone: +370 683 82 441
linas@traversas.lt
www.traversas.lt

MACEDONIA

Madal Bal DOOEL
bul. Vojvodina 41000 Skopje
Phone: +389 02 6147644
www.outdoor.mk
info@outdoor.mk

MALTA

SURPLUS & ADVENTURE
Main Street Mosta
Tel. / Fax.: 00356 21420454
Mob.: 00356 99460046
info@surplusadventure.com
www.surplusadventure.com

MONGOLIA

Skyprofessional Trade LLC
#302, Gerege Tower,
Chinggis Avenue 17
Sukhbaatar dictrict, 1st khoroo
14251 Ulaanbaatar

NEPAL

RedFox Outdoor Nepal
Tridevi Marg
Kathmandu
Phone: + 977-9851096286
mgelusherpa@yahoo.com

NETHERLANDS

CH.O.A. VAN DER VALK B.V.
Het TOUWHUIS
Goudsesingel 85-3031 EE
Rotterdam
Phone: +31 (0) 10 411 18 15
Fax: +31 (0) 10 411 18 16
info@touwhuis.nl
www.touwhuis.nl

NEW ZEALAND

OMS
24a Albert St, PO Box 117
Rangiora
Phone: +64033106401
Fax: +64033106402
office@oms.co.nz
www.oms.co.nz

NORWAY

NOR LIFTING AS
Kjetil V. Espelid
Skibasen 12 A
4636 Kristiansand
Phone: (+47) 940 29000
Mob.: (+47) 926 77007
kjetil@norlifting.no
www.norlifting.no

PERU

SUATRANS PERU
Prolongacion Huaylas, Km. 21.3
Chorrillos, Lima
Phone: + 51 1 616 2828
ventasperu@suatrans.com

POLAND

NAMASTE
Grudzieniec 12
60601 Poznan
Phone: + 48 618 411 533
www.namaste.pl
www.rockempire.pl

ROMANIA

GD ESCAPADE
Calea Mosilor Nr. 27, Sector 3
Bucuresti
Phone / Fax: +401 314 40 71
himalaya@rdslink.ro
www.himalaya.ro

RUSSIA

THIRD POLE
Remeslennaya ul. 7 korp. 1
PO Box 320
197110 St. Petersburg
Phone: +7 812 449 28 88
Fax: +7 812 449 28 89
vasya@redfox.ru
www.rockempire.ru

SERBIA

GORA d.o.o.
Bulevar dr. Zorana
Djindjica 123 V
11070 Belgrade
Tel / fax +381 11 3121513
export@gora-i.com
www.gora-i.com

SINGAPORE

EXPONENT CHALLENGE TECHNOLOGY
ASIA PTE LTD
48 Toh Guan Road East no. 05-153
Enterprise Hub, Singapore 608586
Phone: 65159363
Fax: 65159285
www.exponentasia.com.sg

SLOVENIA

KIBUBA D.O.O.
Selo 11c
1217 Vodice
Phone: +38640166484
info@kibuba.com
www.kibuba.com
www.kibuba.eu

SOUTH AFRICA

GAZCO
4 Crassula Rd
Kommetjie, 7975, Cape Town,
Phone: +27 21 783 0108
gareth.morr@gazco.co.za
www.gazco.co.za

SPAIN / ANDORRA

VERTICALPINE
Av. De Sant Bartomeu 36
08503 – Gurb (Barcelona)
Tel. 93 742 10 01
info@verticalpine.com
www.verticalpine.com

SWEDEN

GEAR FOR FEAR I MALMBERGET AB
Dundretvägen 1
98239 Gällivare
+46 (0)70-312 08 40
janne@northstar.se

SWITZERLAND

BÄCHLI BERGSPO RT AG
Verwaltung
Gewerbestrasse 12
CH-8606 Nänikon
Phone: +41 (0)44 826 76 76
Fax: +41 (0)44 826 76 86
baechli@baechli-bergsport.ch
www.baechli-bergsport.ch

TURKEY

Olimpos Doga Sporlari
Kültür Mah. Libya Cad 4 / 6 Kolej
Çankaya / ANKARA / TURKEY
Phone: +90 0 (312) 432 21 20
olymposdoga@gmail.com

UKRAINE

"The Climb" (Voskhozhdenie)
49000, Ukraine, Dnipro city
Sichovih Striltsyv 8a str.
Phone: +38 056 785 62 29
sale@theclimb.com.ua
skype: dnepr3.climb
www.alp.com.ua
www.theclimb.com.ua



2019/2020

ROCK EMPIRE s. r. o.

Ústecká 1918 / 95, 405 02 Děčín, Czech Republic
Phone: +420 412 704 168 • E-mail: info@rockempire.cz

PRODUCTION ROCK EMPIRE TEAM

TECHNICAL CONSULTANTS:

Amy Veselá, Radovan Fábera, Vladimír Pilař, Zbyněk Homola, Martin Riedl, Jan Zíma

EDITOR:

Eva Bellová

PHOTO:

Jiří Chaloupka, Jaroslav Dunovský, Eva Bellová, Martin Rýva, Miloš Hampl, Stanislav Mitáč.

DESIGN A SAZBA:

Grafické studio VLADO



SYSTEM OF THE MANAGEMENT HAS BEEN ASSESSED AND FOUND TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE STANDARDS ISO 9001:2008

CLIMBING, SPELEOLOGY, CANYONING, WORKING AT HEIGHTS AND SIMILAR ACTIVITIES ARE DANGEROUS AND CAN CAUSE INJURY OR DEATH. EVERY USER IS RESPONSIBLE FOR THE RIGHT AND SAFE USE OF ALL PRODUCTS DESIGNED FOR THIS KIND OF ACTIVITY. WE DO NOT TAKE ANY RESPONSIBILITY IN CASE OF CHANGES TO TECHNICAL PARAMETERS OF OUR PRODUCTS. MISPRINTS AND CHANGES RESERVED.

www.rockempire.cz



EUROPEAN UNION
European Regional Development Fund
Operational Programme Enterprise
and Innovations for Competitiveness